



# How to: Set a Connect IoT Repository


## 1. Go to MES




## 2. Select Administration




## 3. Select Configuration



#### 4. Select Cmf




#### 5. Select System



The screenshot shows a navigation pane on the left with 'All Entries' at the top. Below it, a breadcrumb path shows '< ROOT'. The main list contains 'Cmf', 'Guis', and 'System'. The 'System' entry is highlighted with a yellow box. The right pane shows 'General Data' for the selected entry, with a wrench icon, Path: /Cmf/, Name: Cmf, Type: Value, and Confidential: X No. Below this is a 'CHILD ENTRIES' section and an 'Entries (2)' table with two rows: /Cmf/Guis/ and /Cmf/System/.

PATH
/Cmf/Guis/
/Cmf/System/


## 6. Select Configuration




The screenshot shows the navigation pane with 'All Entries' at the top. The breadcrumb path is '< CMF'. The main list contains 'System' and 'Configuration'. The 'Configuration' entry is highlighted with a yellow box. The right pane shows 'General Data' for the selected entry, with a wrench icon, Path: /Cmf/System/, Name: System, Type: Value, and Confidential: X No. Below this is a 'CHILD ENTRIES' section and an 'Entries (1)' table with one row: /Cmf/System/Configuration/.

PATH
/Cmf/System/Configuration/

## 7. Select ConnectIoT




## 8. Select RepositoryType




## 9. Set the Repository Type

The repository type settings can be either a **Directory** or **NPM**



## 10. Select RepositoryLocation



## 11. Set either the NPM URL or the path to the Directory

The screenshot displays a web-based configuration management interface. At the top, there is a navigation bar with a hamburger menu, a search icon, and a close button. Below this, a toolbar contains icons for Refresh, Create, Edit, and Remove. The main content area is titled 'CONFIGURATION ENTRIES' and shows a tree view on the left with options like 'CONFIGURATION', 'Connecticut', 'ConfigurationTemplate', 'ProtocolPackageNameFilter', 'RepositoryLocation', 'RepositoryToken', and 'RepositoryType'. The 'RepositoryLocation' entry is selected and expanded, showing its 'General Data' and 'Information' tabs. The 'General Data' tab is active, displaying a wrench icon, a path, name, type, value, and confidentiality status. The 'Information' tab shows creation and modification details. Below the configuration entry, there is a section for 'CHILD ENTRIES' with a table header (PATH, NAME, VALUE) and a message 'No data to show'. A search bar and pagination controls are also visible.

Configuration

Refresh Create Edit Remove

CONFIGURATION ENTRIES

CONFIGURATION ENTRY

General Data

Path: /Cmf/System/Configuration/Connecticut/RepositoryLocation/

Name: RepositoryLocation

Type: String

Value: [REDACTED]

Confidential: X No

Information

Created by: System

Created on: 12/30/2018 10:04 PM

Modified by: admin

Modified on: 11/02/2023 09:17 AM

Display By: LATEST CHANGES • Type: ALL • Search

Entries (0)

PATH	NAME	VALUE
No data to show.		

Rows per Page: 25 Page: 1 of 1 (0 Records)