



# Scheduling Optimization Criteria

11.1

January 2026

## DOCUMENT ACCESS

Public


## DISCLAIMER

The contents of this document are under copyright of Critical Manufacturing S.A. It is released on condition that it shall not be copied in whole, in part or otherwise reproduced (whether by photographic, or any other method) and the contents therefore shall not be divulged to any person other than that of the addressee (save to other authorized offices of his organization having need to know such contents, for the purpose for which disclosure is made) without prior written consent of submitting company.

**scheduling**

## Scheduling Optimization Criteria

This section describes the different Optimization Criteria supported by the scheduling engine. Each one aims at fulfilling a certain objective, with this fulfillment being measured by an associated KPI. It is possible to combine more than one of these objectives, using the associated weights to give relative importance between criteria (either defined by default in the [Create Schedule](#) operation, or specified at the Schedule Scenario level, during the [Generate Schedule Scenario](#)). Keep in mind that the sum of all weights must equal 100%. It is advisable to limit the criteria mix to a maximum of two/three, to preserve the integrity of the results obtained.



The screenshot shows the 'Generate Schedule Scenario' dialog box with the 'OPTIMIZATION CRITERIA' tab selected. The 'Criteria' section lists the following optimization options:

- Maximize Resource Utilization: Weight 50
- Minimize Setup Times: Weight 0
- Minimize Total Waiting Time: Weight 0
- Minimize Average Lateness: Weight 0
- Minimize Maximum Lateness: Weight 50
- Minimize Deviation From Delivery Dates: Weight 0
- Maximize Priority Fulfillment: Weight 0
- Minimize Late Materials: Weight 0
- Minimize Quantity Weighted Cycle Time: Weight 0
- Minimize Priority Quantity Weighted Cycle Time: Weight 0
- Minimize Priority Weighted Lateness: Weight 0

The total weight is displayed as 100 of 100. At the bottom, there are 'Comments:' and 'Generate' buttons.

The available Optimization Criteria are:

Optimization Criteria	Description	Associated KPI
Minimize Late Materials	Materials are sequenced using a heuristic with the goal of minimizing the number of delayed material based on their <i>Due Dates</i> . Forward scheduling is used from the planning start date.	Late Materials Percentage
Minimize Setup Times	Materials are sequenced in order to minimize the sum of the setup times. Sorting is performed according to the setup times that are relevant to the Materials to be scheduled, defined in Setup Matrixes. Forward scheduling is used from the planning start date.	Setup Time Percentage
Minimize Average Lateness	Materials are sequenced based on the earliest due date with the goal of minimizing the average delay for all Materials. Forward scheduling is used from the planning start date.	Average Lateness in Days
Maximize Resource Utilization	Materials are sequenced using a heuristic with the goal of maximizing the utilization of resource of all materials. Forward scheduling is used from the planning start date.	Process Time Percentage

Optimization Criteria	Description	Associated KPI
Minimize Maximum Lateness	Materials are sequenced using a heuristic with the goal of minimizing the maximum delay based on the Due Date of all Materials. Forward Scheduling is used from the planning start date.	Maximum Lateness in Days
Minimize Deviation From Delivery Dates	Materials are sequenced using a heuristic with the goal of minimizing the sum of deviations between the end of the last Step and the Due Date for each Material. Backward scheduling is used based on the Due Date of each Material.	Average Earliness in Days
Maximize Priority Fulfillment	Materials are sequenced with the goal of maximizing the fulfillment of Due Dates, taking into account the different Priorities. Forward scheduling is used from the planning start date.	AverageDelayDays
Minimize Total Waiting Time	Materials are sequenced with the goal of minimizing the sum of waiting times between consecutive steps for each Material. Forward scheduling is used from the planning start date.	Inactivity Time Percentage
Minimize Quantity Weighted Cycle Time	Materials are sequenced using a heuristic with the goal of minimizing the sum of the quantity weighted cycle time for each Material. Forward scheduling is used from the planning start date.	Quantity Weighted Average Cycle Time
Minimize Priority Quantity Weighted Cycle Time	Materials are sequenced using a heuristic with the goal of minimizing the sum of the priority weighted cycle time for each Material. Forward scheduling is used from the planning start date.	Priority Quantity Weighted Average Cycle Time
Minimize Priority Weighted Lateness	Materials are sequenced using a heuristic with the goal of minimizing the sum of the priority weighted delays of each Material against its Due Date. Forward scheduling is used from the planning start date.	Priority Weighted Average Delay Days
Minimize Total Cycle Time	Materials are sequenced using a heuristic with the goal of minimizing the total cycle time. Forward scheduling is used from the planning start date.	Average Cycle Time

Table: Scheduling optimization Criteria



# Legal Information

## **Disclaimer**

The information contained in this document represents the current view of Critical Manufacturing on the issues discussed as of the date of publication. Because Critical Manufacturing must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Critical Manufacturing, and Critical Manufacturing cannot guarantee the accuracy of any information presented after the date of publication. This document is for informational purposes only.

Critical Manufacturing makes no warranties, express, implied or statutory, as to the information herein contained.

## **Confidentiality Notice**

All materials and information included herein are being provided by Critical Manufacturing to its Customer solely for Customer internal use for its business purposes. Critical Manufacturing retains all rights, titles, interests in and copyrights to the materials and information herein. The materials and information contained herein constitute confidential information of Critical Manufacturing and the Customer must not disclose or transfer by any means any of these materials or information, whether total or partial, to any third party without the prior explicit consent by Critical Manufacturing.

## **Copyright Information**

All title and copyrights in and to the Software (including but not limited to any source code, binaries, designs, specifications, models, documents, layouts, images, photographs, animations, video, audio, music, text incorporated into the Software), the accompanying printed materials, and any copies of the Software, and any trademarks or service marks of Critical Manufacturing are owned by Critical Manufacturing unless explicitly stated otherwise. All title and intellectual property rights in and to the content that may be accessed through use of the Software is the property of the respective content owner and is protected by applicable copyright or other intellectual property laws and treaties.

## **Trademark Information**

Critical Manufacturing is a registered trademark of Critical Manufacturing.

All other trademarks are property of their respective owners.