



Critical
manufacturing
an ASM PT company

Material Registration

11.3

April 2026

DOCUMENT ACCESS

Public

DISCLAIMER

The contents of this document are under copyright of Critical Manufacturing S.A. it is released on condition that it shall not be copied in whole, in part or otherwise reproduced (whether by photographic, or any other method) and the contents therefore shall not be divulged to any person other than that of the addressee (save to other authorized offices of his organization having need to know such contents, for the purpose for which disclosure is made) without prior written consent of submitting company.

Material Registration

In Critical Manufacturing MES, there are multiple methods available for creating **Materials** - including manual creation through the **Material** page, creation via **Production Orders**, and a method that can be scanner-assisted, represented by the Register Materials operation.

The system offers native support for several barcode label formats, such as ECIA, GS1, and MAT-Label. However, it is also designed with flexibility in mind, allowing for the configuration of additional custom label formats to accommodate specific business requirements.

Info

Material Logistics is a separately licensed module required to enable this feature.

Overview

In this tutorial, we will walk through a complete scenario covering the configuration and execution of the Material Registration operation, using both both manual and scanner-assisted methods.

The tutorial is structured as follows:

- Initial Considerations: Key concepts and prerequisites to be aware of before getting started.
- Use Case Presentation: A clear description of the production context and specific system requirements.
- Configuration: Step-by-step setup, supported by video and images.
- Feature Execution: Hands-on walkthrough of the operation, covering both manual input and a simulation of scanner-assisted registration.
- Final Considerations: Additional tips and usability notes to help users get the most out of the functionality.

Initial Considerations


Before starting the tutorial, there are a few key aspects you should be familiar with to ensure a smooth understanding of the process and its context.


The [Register Materials](#) operation is available under **Planning and Logistics** Menu, and is used for the creation of **Materials** of **Products** with the following types:

- Raw Material
- Durable
- Part

These are the only **Product** types that support the definition of Product Manufacturers, which is a prerequisite for the registration process.

Regarding the required user features, to execute the Register Materials operation, the user must be granted:

 **Material.Register** – Required to access the operation in general

 **Material.RegisterManual** – Required to perform manual registration specifically

For label support and customization, Critical Manufacturing MES supports several barcode label formats natively (ECIA, GS1, MAT-Label).

If you are considering supporting a custom label format, you should be aware of the following Lookup and Generic configuration tables, which define how label data is interpreted:

Table Name	Description
LabelSpecification	Lookup Table for Label Specifications
LabelMaterialProperty	Lookup Table for Material Properties
LabelSpecification	Generic Table for defining the properties of the different Label Specifications
LabelSymbologyIdentifier	Generic Table for defining label specs with symbology identifiers and barcode types
LabelMaterialProperty	Generic Table for setting Material properties or attributes that can be referenced as a Label Specification Field
LabelSpecificationField	Defines each field in the label format, including prefix, length, and mapping

Use Case

In this use case, we are operating within a production environment where raw materials are delivered to the production site. Upon arrival, an employee is responsible for registering these materials in Critical Manufacturing MES.

For the purposes of this scenario, we consider that the Raw Material Business Partner supplies two products:

- Raw Material 1
- Raw Material 2

The following conditions and requirements apply to this use case:

Material Placement: When created, **Materials** are assigned to a designated physical location.

- Raw materials are created in the Warehouse **Facility**.
- They are placed in the Receiving and Storage **Flow**, at the Receiving **Step**.

Labeling Standard: The information provided by the supplier follows the GS1 label specification.

Data Capture at Registration: At the moment of **Material** creation, the employee must collect and register the following data:

Data Point	CM MES Mapping
Facility	Maps to the Facility Material property
Manufacturer	Business Partner linked to the Material
GTIN	Maps to Part Number Identification Material property

Data Point	CM MES Mapping
COUNT	Maps to Primary Quantity Material property
BATCH/LOT	Maps to Manufacturer Lot Number Material property
PROD Date	Maps to Manufacturer Date Code Material property
ERP Code	Must be stored as Material attribute ERPCode

Product Details: Logistical attributes linked to the **Product** definition.

Product	Part Number	Standard Quantity Delivered	Moisture Sensitivity Level
Raw Material 1	11111111111111	100	2a
Raw Material 2	22222222222222	25	6

Configuration

The following steps outline the configuration required to support material registration in this tutorial.

A video walkthrough of this configuration is included at the end of this section.

Warning

This configuration walkthrough does not cover the base model setup (e.g., **Calendars, Facilities, and Areas**).


Business Partner

To create a **Business Partner**, navigate to: **Business Data > Business Partner**.

In order for a **Business Partner** to be recognized as a Product Manufacturer, the following conditions must be met:

- The Manufacturer property must be set to true
- A Label Specification must be defined - for this use case, select GS1

Example configuration:



[See more information about this entity here](#)

Entity Type Material Add Attribute


Since `ERPCode` is not a native attribute of the **Material** entity, it must be added manually.

To do this, go to: **Administration > Entity Types > Material > Manage Attributes**, and add a new attribute named `ERPCode`.

Attribute details:

Property	Value
Name	ERPCode
Type	NVarChar
Size	256
Is Reportable	Yes
Is History Enabled	Yes
IsMandatory	No
Other flags	Leave default unless needed

Example configuration:



The screenshot shows the configuration for the `ERPCode` attribute of the `Material` entity. The interface includes a toolbar with `Refresh`, `Edit`, `Export`, and `Generate` buttons. The main area displays the following details:

- Name:** `ERPCode`
- Description:** `ERP Material Code`
- Property Type:** `Attribute`
- Data Group:** (empty)
- Enabled:** `Yes`
- System:** `No`
- State:** `Active`
- Reference Type:** `None`
- Scalar Type:** `NVarChar`
- Size:** `256`
- Default Value:** (empty)
- Array:** `No`
- Clone Display Order:** (empty)
- Flags:**
 - Indexed:** `No`
 - Mandatory:** `No`
 - Reportable:** `No`
 - History Enabled:** `Yes`
 - Versioned:** `No`
 - Searchable:** `No`

Below the details is a **Validation** section with `Range`, `Regular Expression`, and `Localized Message` fields. At the bottom is an **Access Level** table:

	ENTITY			TEMPLATE		
	VIEW	CREATE	UPDATE	VIEW	CREATE	UPDATE
Read Only	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
Hidden						

Note

If the attribute does not appear in the system after being added, you may need to use the `Generate` operation on the **Material** entity to apply changes.


[See more information about this configuration here](#)

Generic Tables

First, you must include the `ERPCode` attribute as a collectable label property, in the `LabelMaterialProperty` Generic Table.

Set it as mandatory, define its sequence, and specify the data type.

Example configuration:




The screenshot shows the configuration for the `Label Material Property` entity. The interface includes a toolbar with `Refresh`, `Add`, `Export`, and `More` buttons. The main area displays a table of properties:

NAME	IS MANDATORY	DESCRIPTION	SEQUENCE	DATA TYPE	PRODUCT PROPERTY	PRODUCT PROPERTY VALUE
<input type="checkbox"/> <code>ManufacturerPartNumber</code>	<input checked="" type="checkbox"/>	Manufacturer Part Number	1	String		
<input type="checkbox"/> <code>PrimaryQuantity</code>	<input checked="" type="checkbox"/>	Quantity	2	Long		
<input type="checkbox"/> <code>ManufacturerLotNumber</code>	<input checked="" type="checkbox"/>	Manufacturer Lot Number	3	String		
<input type="checkbox"/> <code>DateCode</code>	<input checked="" type="checkbox"/>	Manufacturing Date Code	4	Date		
<input type="checkbox"/> <code>ExpirationDate</code>	<input type="checkbox"/>	Expiration Date	5	Date		
<input type="checkbox"/> <code>PurchaseOrderNumber</code>	<input type="checkbox"/>	Purchase Order Number	6	String		
<input type="checkbox"/> <code>MoistureSensitivityLevel</code>	<input type="checkbox"/>	Moisture Sensitivity Level	7	String		
<input type="checkbox"/> <code>IsRoHSCompliant</code>	<input type="checkbox"/>	RoHS Compliant	8	Boolean		
<input type="checkbox"/> <code>IsRoHSCompliant</code>	<input type="checkbox"/>	IsRoHSCompliant	8	Boolean		
<input type="checkbox"/> <code>ERPCode</code>	<input checked="" type="checkbox"/>	ERP Code	9	String		

Then, add `ERPCode` as a valid field under the GS1 Label Specification at the `LabelSpecificationField` Generic Table, with a prefix (for example 43), a data type (for example String), length and sequence number.

Example configuration:



LABEL SPECIFICATION	FIELD NAME	FIELD SEQUENCE	FIELD DATA TYPE	FIELD PREFIX	FIELD LENGTH	FIELD FORMAT	MATERIAL PROPERTY	IS MANDATORY	NOT APPLICABLE VALUE	IS PACKAGE ID
GS1	GTIN	10	String	1		14	ManufacturerPartNu...	✓		✓
GS1	ORDER NUMBER	50	String	400			PurchaseOrderNum...	✗		✓
GS1	COUNT	20	Long	37			PrimaryQuantity	✓		✓
GS1	PROD DATE	40	String	11		6	DateCode	✓		✓
GS1	BATCH / LOT	30	String	10			ManufacturerLotNu...	✓		✓
GS1	USE BY OR EXPIRY	60	Date	17		6 YYMMDD	ExpirationDate	✗		✓
GS1	Serial Number	100	String	21				✗		✓
GS1	ERP Code	70	String	43		9	ERPCode	✓		✗

[See more information about this configuration here](#)


Flow and Step

Create a simple **Flow** and **Step** structure at the Warehouse **Facility**:

- **Flow:** Receiving and Storage
- **Step:** Receiving

No further operation-related entities (e.g., **Resource** or **Service**) are required.

Example configuration:



The screenshot shows the configuration for a 'Receiving and Storage' flow and step. The flow is named 'Receiving and Storage [A]' and the step is named '1. Receiving'. The details panel on the right shows the following configuration:

- Flow:**
 - General Data:
 - Flow: Receiving and Storage [A]
 - Description: Receiving and Storage Flow
 - Flow Type: Sequential
- Step:**
 - General Data:
 - Step: Receiving
 - Description: Receiving and Storage Step
 - Optional: ✗ No
 - Line Step: ✗ No
 - Skippable: ✗ No
 - Rework: ✗ No

[See more information about these entities here](#)

Products

For this use case, create two **Products**: Raw Material 1 and Raw Material 2.


Each **Product** must include:

- Product Type: Raw Material
- Default Units, Form, and Flow Path


In the Products Manufacturer section, add the information for the Raw Material Business Partner and include:

- Part Number
- Standard Quantity
- Moisture Sensitivity Level (MSL)

Example configuration:



Raw Material 1 - Product Manufacturer



ORDER	MANUFACTURER	DESCRIPTION	PART NUMBER	MOISTURE SENSITIVITY LEVEL	FLOOR LIFE	CAPACITY CLASS	STANDARD QUANTITY	NOTE
1	Raw Material Business Part	Raw Material Business Pa...	11111111111111111111	2a	4 Weeks		100 Units	

Raw Material 2 - General

Raw Material 2

General | Reports | Actions

Raw Material 2 [A.1] (Default) 1 (Effective)

DETAILS

Product Information Documentation

Name: Raw Material 2
 Description: Raw Material 2
 Type: Standard
 Universal State: Effective

Default Start Flow Path: Receiving and Storage (A) > Receiving
 Product Type: Raw Material
 Product Group:
 Product Group Description:
 Default Units: Units
 Default Material Type: Standard
 Default Material Form: Lot
 Default BOM:
 Substrate Map:
 Maturity:
 Capacity Class:
 Moisture Sensitivity Level: 6
 Floor Life:
 Enabled: Yes
 Blocked: No
 Discrete: No
 Requires Bin Code: No
 Requires Approval:
 Approval Role:

CAD Type:
 CAD File:
 CAD Content Type:
 Panel Type:
 BOM File:

DETAILS
 PARAMETERS
 CHARACTERISTICS AND RULES
 REPAIR POLICY
 SUB-PRODUCTS
 BINNING
 PRODUCT MANUFACTURERS
 MATERIAL LOGISTICS
 TRANSFER INFORMATION
 SAFETY INFORMATION
 COSTING
 PLANNING
 SCHEDULING
 ATTACHMENTS

Raw Material 2 - Product Manufacturer

Raw Material 2

General | Reports | Actions

Raw Material 2 [A.1] (Default) 1 (Effective)

PRODUCT MANUFACTURERS

Refresh More

Search

Manufacturers (1)

ORDER	MANUFACTURER	DESCRIPTION	PART NUMBER	MOISTURE SENSITIVITY LEVEL	FLOOR LIFE	CAPACITY CLASS	STANDARD QUANTITY	NOTE
1	Raw Material Business Part	Raw Material Business Pa...	22222222222222	6			25 Units	

Rows per Page: 50 Page 1 of 1 (1 Records)

DETAILS
 PARAMETERS
 CHARACTERISTICS AND RULES
 REPAIR POLICY
 SUB-PRODUCTS
 BINNING
 PRODUCT MANUFACTURERS
 MATERIAL LOGISTICS

[See more information about this entity here](#)

The master data file supporting this model is available here: [XML File](#), and was designed using version 11.1.

Warning

If you use the master data file to create the new attribute in the **Material** entity, you may still need to perform the Generate Schema operation referenced earlier.

Register Material Manual Process

In this section we will simulate the creation of a **Material** through the Register Material operation.

When navigating to **Planning and Logistics > Register Material**, you will be presented with an interface designed to guide you through the registration process.

Creating a material for Raw Material 1:

Property	Value	Note
Facility	Warehouse	This is where the material is being received
Manufacturer	Raw Material Business Partner	The Manufacturer must match the defined Supplier Part Number
Number of Identical Materials to Register	2	Defines how many identical material records will be created in this operation, each with the same properties
GTIN	11111111111111	The Part Number Identification Material
Count	150	The primary quantity of the material
Batch/Lot	202505081	The manufacturer lot number
Prod Date	20250508	The Manufacturer Date Code
ERP Code	ERP111111	ERP Code Material attribute value

Example:

Register Materials

Materials

MATERIAL	MATERIALS TO REGISTER
New Material #1	2
Raw Material 1 (Raw Material 1)	

Material Details

* Facility: Warehouse

* Manufacturer: Raw Material Business Partner

Number of Identical Materials to Register: 2

* GTIN: 111111111111111

Product: Raw Material 1 [A.1]

Product Description: Raw Material 1

* COUNT: 150

* BATCH / LOT: 202505081

* PROD DATE: 20250508

ORDER NUMBER: Scan barcode to read data

USE BY OR EXPIRY: MM/dd/yyyy HH:mm PP

* ERP Code: ERP111111


Comments:

Cancel Register

Creating a material for Raw Material 2:

Property	Value	Note
Facility	Warehouse	This is where the material is being received
Manufacturer	Raw Material Business Partner	The Manufacturer must match the defined Supplier Part Number
Number of Identical Materials to Register	1	Defines how many identical material records will be created in this operation, each with the same properties
GTIN	22222222222222	The Part Number Identification Material
Count	85	The primary quantity of the material
Batch/Lot	202505082	The manufacturer lot number
Prod Date	20250508	The Manufacturer Date Code
ERP Code	ERP222222	ERP Code Material attribute value
Time on Label	90	Related to Moisture Sensitivity Level

Example:



In the upper-right corner of the interface, you'll find an option to print labels. This allows the user to specify the number of labels to print for the **Materials** being registered.


To enable this functionality, the following conditions must be met:

- The **Step** where the **Material** is created must have a **Printable Document** assigned. To configure this, go to **Step > Details View > Edit > Material Label**, and set a **Printable Document**.
- The Print Material Label Automatically flag must be set to `true`.

This process is demonstrated step-by-step in the accompanying video.

Register Material Using Barcode Scanner

To simulate barcode scanning, you can generate the required barcodes, place them in a file, and use your device's camera to scan them, or use a barcode reader. The barcodes used in this demonstration are available in this [PDF File](#), and were generated following GS1-Code128.

Using the same Register Material interface, simply select on the camera icon  to activate the scanning mode and present the printed or on-screen barcodes.

You can follow this process step by step in the video below.

Final Considerations

This section provides additional tips and usability notes to help users get the most out of the Register Materials functionality.

- The Facility field can have a predefined default value. To configure this, use the [GUIElementDefaultValue](#) table with the following:
 - Context: `Material.Register`
 - Element: `Facility`
- If the system configuration `/Cmf/System/Configuration/MaterialLogistics/RegisterMaterials/AutoPopulateDataFromProductManufacturer/` is enabled, the system will attempt to automatically populate fields using data from the Product Manufacturer.
- If the configuration `/Cmf/System/Configuration/MaterialLogistics/RegisterMaterials/InferManufacturerFromManufacturerPartNumber/` is enabled, the system will attempt to infer the Manufacturer based on the provided Manufacturer Part Number.



Legal Information

Disclaimer

The information contained in this document represents the current view of Critical Manufacturing on the issues discussed as of the date of publication. Because Critical Manufacturing must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Critical Manufacturing, and Critical Manufacturing cannot guarantee the accuracy of any information presented after the date of publication. This document is for informational purposes only.

Critical Manufacturing makes no warranties, express, implied or statutory, as to the information herein contained.

Confidentiality Notice

All materials and information included herein are being provided by Critical Manufacturing to its Customer solely for Customer internal use for its business purposes. Critical Manufacturing retains all rights, titles, interests in and copyrights to the materials and information herein. The materials and information contained herein constitute confidential information of Critical Manufacturing and the Customer must not disclose or transfer by any means any of these materials or information, whether total or partial, to any third party without the prior explicit consent by Critical Manufacturing.

Copyright Information

All title and copyrights in and to the Software (including but not limited to any source code, binaries, designs, specifications, models, documents, layouts, images, photographs, animations, video, audio, music, text incorporated into the Software), the accompanying printed materials, and any copies of the Software, and any trademarks or service marks of Critical Manufacturing are owned by Critical Manufacturing unless explicitly stated otherwise. All title and intellectual property rights in and to the content that may be accessed through use of the Software is the property of the respective content owner and is protected by applicable copyright or other intellectual property laws and treaties.

Trademark Information

Critical Manufacturing is a registered trademark of Critical Manufacturing.

All other trademarks are property of their respective owners.