



# Augmented Reality

11.2

February 2026

## DOCUMENT ACCESS

Public

## DISCLAIMER

The contents of this document are under copyright of Critical Manufacturing S.A. It is released on condition that it shall not be copied in whole, in part or otherwise reproduced (whether by photographic, or any other method) and the contents therefore shall not be divulged to any person other than that of the addressee (save to other authorized offices of his organization having need to know such contents, for the purpose for which disclosure is made) without prior written consent of submitting company.

# Augmented Reality

*Estimated time to read: 5 minutes*

Augmented Reality enables any task relevant information available inside [MES](#) to be viewed over a live camera shot of the real product, process, line or facility area. This means you have faster and simpler shop floor visibility and monitoring, and an improved operational efficiency.

 **Info**

Augmented Reality is a separately licensed module.

This tutorial will guide you through the setup and usage of the Augmented Reality functionality.

 **Note**

When in Augmented Reality, you cannot open wizards, and if you open a link, you will exit the Augmented Reality mode.

## Overview

Augmented Reality is a mechanism to superimpose information on top of an object, as viewed through a device camera, for the purposes of visualization or interaction.



The Augmented Reality feature works by identifying [QR codes](#) in the image being captured by the camera of the mobile devices, and looking up the respective configuration in the system about the object associated with that [QR code](#). The registration of [QR codes](#) and objects is done via **Tags**.

## Setting Up Augmented Reality

To be able to use the Augmented Reality feature it is necessary to follow the steps described in the table below:

Step	Title	Description
1	<b>Create the Necessary UI Pages</b>	If the intention is to display a UI page when a certain <a href="#">QR code</a> is read, the UI page must be created in advance.

Step	Title	Description
2	<b>Create the Augmented Reality Tags</b>	Create as many Steps as required to be used by the different Flows.
3	<b>Create the Necessary Flows</b>	Create the necessary Tags in the system.

Table: Augmented Reality Setup steps

The individual steps are explained in more detail in the sub-sections that follow.


### Create the Necessary UI Pages

UI Pages used in Augmented Reality are normal UI Pages, but the Augmented Reality module automatically supplies some parameters to the UI Page when an object is recognized. These parameters are listed in Table 2 below:

Parameter	Data Type	Description
<b>Tag</b>	<b>String</b>	The id of the Tag that was recognized.
<b>EntityType</b>	<b>String</b>	The name of the entity type associated with the id of the recognized Tag.
<b>EntityInstance</b>	<b>Object</b>	The object associated with the Tag that was recognized.

Table: Augmented Reality UI Page parameters

An example of this type of UI page is shown below:




The screenshot shows the 'Page builder settings' interface with the 'PROPERTIES' tab selected. The 'Properties' list on the left includes:

- title (String)
- subtitle (String)
- additionalInfo (String)
- Tag (String)
- EntityType (String)
- EntityInstance (Object)


The 'EntityInstance' property has a tooltip: "Please select a property". At the bottom, there are 'Comments:' and 'Save' buttons: 'Cancel', 'Save Now', and 'Save and Close'.


The parameters can then be supplied to any UI Page widget. In the image below, the three parameters are passed to an Entity History widget. In the case of the **EntityInstance**, the converter that is used is the **anyToAnyProperty** without any Converter Parameter.



## Create the Augmented Reality Tags

Augmented Reality Tags are created in the Administration menu, Augmented Reality entity. For more information, see the [Augmented Reality \(Administration\)](#) and [Augmented Reality \(System Widgets/\)](#) sections of the User Guide.





ENTITY	TYPE	VIEW	PAGE	TAG NUMBER
Anneal-101	Resource	UI Page	AR1	1
Anneal-102	Resource	EntityTile		2

**Info**

Currently, it is only possible to generate tags that range between 0 and 511.

**Info**

An Augmented Reality tag can display a particular UI Page or a standard UI Page.

**Info**

Augmented Reality tags are stored in the Generic Table **EntityTag**.

## Using Augmented Reality

Augmented Reality can also be accessed from the **Manufacturing** menu, **Augmented Reality** entity.


**Note**

The device that is running the GUI must have a camera and the camera is allowed to be used by the GUI.

To use the Augmented Reality point the camera at the pre-defined QR codes. The system will automatically display either the standard tile or the pre-defined UI Page when the object is recognized.


The following images show the example defined above to display the history of an object.






## Using Augmented Reality as a Widget

Augmented Reality can also be used as a Widget. In this case it leverages the same Augmented Reality Configuration. The example below uses an Augmented Reality Widget to feed an Entity History Widget.



In this example, the Widget is linked with the properties **LastTag**, **LastEntityType**, and **LastEntityInstance** as seen in the image below:



The Augmented Reality Widget provides five parameters as described in the next table:

Property	Data Type	Description
<b>entityTagFound</b>	Object	Provides access to the most recent detected tag that can be accessed with the properties as described in the above <b>Augmented Reality UI Page parameters</b> table.
<b>entityTagLost</b>	Object	Provides access to the most recent tag that was lost (that is removed from detection), which can be accessed with the properties as described in the above <b>Augmented Reality UI Page parameters</b> table.
<b>LastTag</b>	String	The id of the last tag that was detected.
<b>LastEntityType</b>	String	The name of the entity type associated with the id of the last detected tag.
<b>LastEntityInstance</b>	Object	The object associated with the last tag that was detected.

Table: Augmented Reality widget output properties

The objects **entityTagLost** and **entityTagFound** contain the list of properties shown in the **Augmented Reality UI Page parameters** table. These properties can be accessed by using the **anyToAnyProperty** converter and supplying as the **ConverterParameter** the name of the property. Typically, the **ConverterParameters** would be a static property like the UI Page. This process is described in the image below:

Property	Data Type	Description
<b>Tag</b>	Access to the tag (id) name	Access to the tag (id) name

Property	Data Type	Description
<b>EntityType</b>	Access to the entity type name	Access to the entity type name
<b>EntityInstance</b>	Access to the entity instance	Access to the entity instance

 Table: **entityTagFound** or **entityTagLost** object properties

Page builder settings

DEFINITION LAYOUTS PROPERTIES ACTION BUTTONS DATA SOURCES LINKS

Properties

title String  
subtitle String  
additionalInfo String  
ConverterParameter String

Property details

\* Name: ConverterParameter  
\* Source: Static  
\* Type: String  
Collection type: None  
Value: EntityInstance  
Required:

Comments:

Cancel Save Now Save and Close

AR1

Augmented Reality

allowRotation Boolean	entityTagFound Object
allowDepth Boolean	entityTagLost Object
zoom Decimal	LastTag String
name String	LastEntityType String
description String	LastEntityInstance EntityType
iconClass String	
loading Boolean	

Converter: anyToAnyProperty  
Converter parameter: ConverterParameter

Entity...

- instance EntityType
- name String
- description String
- iconClass String
- loading Boolean



# Legal Information

## **Disclaimer**

The information contained in this document represents the current view of Critical Manufacturing on the issues discussed as of the date of publication. Because Critical Manufacturing must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Critical Manufacturing, and Critical Manufacturing cannot guarantee the accuracy of any information presented after the date of publication. This document is for informational purposes only.

Critical Manufacturing makes no warranties, express, implied or statutory, as to the information herein contained.

## **Confidentiality Notice**

All materials and information included herein are being provided by Critical Manufacturing to its Customer solely for Customer internal use for its business purposes. Critical Manufacturing retains all rights, titles, interests in and copyrights to the materials and information herein. The materials and information contained herein constitute confidential information of Critical Manufacturing and the Customer must not disclose or transfer by any means any of these materials or information, whether total or partial, to any third party without the prior explicit consent by Critical Manufacturing.

## **Copyright Information**

All title and copyrights in and to the Software (including but not limited to any source code, binaries, designs, specifications, models, documents, layouts, images, photographs, animations, video, audio, music, text incorporated into the Software), the accompanying printed materials, and any copies of the Software, and any trademarks or service marks of Critical Manufacturing are owned by Critical Manufacturing unless explicitly stated otherwise. All title and intellectual property rights in and to the content that may be accessed through use of the Software is the property of the respective content owner and is protected by applicable copyright or other intellectual property laws and treaties.

## **Trademark Information**

Critical Manufacturing is a registered trademark of Critical Manufacturing.

All other trademarks are property of their respective owners.